

FDA approved to treat excessive daytime sleepiness (EDS) or cataplexy in adults with narcolepsy and to treat EDS in children 6 years of age and older with narcolepsy

Important Safety Information

Do not take WAKIX if you are allergic to pitolisant or any ingredient in WAKIX, or if you have severe liver disease.



Why WAKIX® (pitolisant)?





Not a stimulant

WAKIX is *not* a stimulant, so the way your body feels when taking WAKIX may be different from medications you have taken in the past.



Once-daily tablet medication

WAKIX tablets are taken **once daily in the morning** as soon as you wake up.



First-of-its-kind

WAKIX is a **first-of-its-kind medication** that increases **histamine** levels in the brain.



Not a controlled substance

WAKIX is the first and only FDA-approved treatment for people with narcolepsy that is *not* a **controlled substance**.

Living with NARCOLEPSY?

From attending college or graduate school to being in the working world or navigating through everyday situations, managing excessive daytime sleepiness with narcolepsy can be challenging.

If you are fighting to stay awake during the day, **talk to your healthcare provider about** WAKIX® (pitolisant).

Indications and Usage

WAKIX is a prescription medicine used to treat:

- excessive daytime sleepiness (EDS) or cataplexy in adults with narcolepsy.
- excessive daytime sleepiness (EDS) in children 6 years of age and older with narcolepsy.

Important Safety Information

WAKIX can cause a change in the electrical activity of the heart known as QT prolongation. This is a heart rhythm problem that can lead to an abnormal heartbeat. You have a higher chance of getting QT prolongation if you have certain heart or other medical conditions, or if you take WAKIX with certain medicines. Tell your healthcare provider right away if you have a change in your heartbeat or if you feel dizzy or faint while taking WAKIX.

Tell your healthcare provider about all your medical conditions, including if you have any heart, liver, or kidney problems, or problems with blood levels of your electrolytes, such as potassium or magnesium.

What Else Should I Know About WAKIX® (pitolisant)?



No significant drug interactions with sodium oxybate or modafinil

In a clinical study in adults where WAKIX was taken with sodium oxybate or modafinil, there were **no significant effects** on the levels of the medications in the body.

 Tell your healthcare provider about all the medicines you take or plan to take



May reduce effectiveness of hormonal contraceptives

Hormonal birth control methods may not work while taking WAKIX.


 People who can become pregnant should use an alternative non-hormonal birth control method during treatment with WAKIX and for at least 21 days after stopping WAKIX

Are you currently in college?

<u>Get tips</u> from other college students living with narcolepsy

Important Safety Information

Tell your healthcare provider about all the medicines you take or plan to take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking WAKIX with certain medicines may cause side effects or affect the way each other works.



Important Safety Information

The most common side effects of WAKIX in adults include insomnia, nausea, and anxiety.

The most common side effects of WAKIX in children include headache and insomnia.

These are not all the possible side effects of WAKIX. Call your healthcare provider for medical advice about side effects.

Hear What Real People Have to Say About WAKIX® (pitolisant)

Watch real people living with narcolepsy as they share their journeys with the disorder and starting WAKIX





Hear their personal stories at WAKIX.com

Important Safety Information

Tell your healthcare provider if you are pregnant or planning to become pregnant. You are encouraged to enroll in the WAKIX pregnancy registry if you become pregnant while taking WAKIX. The registry collects information about the health of you and your baby. To enroll or obtain information from the registry, call 1-800-833-7460.

Connect With Others in the Narcolepsy Community

Wakix pitolisant tablets

Find support groups, get tips for work and school, and more.



www.narcolepsynetwork.org





<u>Learn more</u> about finding support in the narcolepsy community

Important Safety Information

It is not known if WAKIX is safe and effective to treat excessive daytime sleepiness in children under 6 years of age with narcolepsy or to treat cataplexy in people under 18 years of age with narcolepsy.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088. You can also report negative side effects to Harmony Biosciences at 1-800-833-7460.

The WAKIX for You Support Program Is Here to Help

Once your healthcare provider prescribes WAKIX® (pitolisant), you have the option to sign up for WAKIX for You, a program that provides individual reimbursement and financial support based on your specific needs and eligibility.



Works with your insurance plan to determine coverage



Offers financial support programs for eligible patients



Ensures your prescription is sent to the Specialty Pharmacy so they can arrange delivery directly to you



Provides educational resources



You may be eligible to pay as little as a \$0 copay on your WAKIX prescription with the WAKIX for You Program.*

*This offer is valid only for patients who have commercial (nongovernment-funded) insurance. Additional terms and conditions apply.



Contact WAKIX for You





